



LONG-LASTING WFE® FOUNDATION

Creamy and luxurious foundation which gives skin an appearance of luminosity. Completely water-free formulation improves the water resistance. **Dedraflow® 5** imparts a silky matteness without a greasy feeling. **Fiflow® BTX** works as a functional anti-wrinkle active.

PHASE A

Dedraflow® 5 ¹ (Hydrogenated Polyisobutene)	7.45%
Creanatural® LAB ¹ (Butyrospermum Parkii (Shea Butter) Extract (and) Limnanthes Alba (Meadowfoam) Seed Oil)	1.80%
Siltext® Mat ¹ (Hydrogenated Polyisobutene (and) Dimethicone Crosspolymer Hydrogenated Polyisobutene (and) Distearidimonium Hectorite (and) Propylene Carbonate)	26.10%
Hectone® DF ¹ (Hydrogenated Polyisobutene (and) Distearidimonium Hectorite (and) Propylene Carbonate)	18.90%
Creagel® Crystal ID ¹ (Isododecane (and) Ethylene/Propylene Copolymer)	13.50%
Phenoxyethanol ¹ (Phenoxyethanol)	0.45%
Meadowfoam Seed Oil ¹ (Limnanthes Alba (Meadowfoam) Seed Oil)	5.40%

PHASE B

Creaspheres® SIL WL 3 ¹ (Silica)	5.40%
--	-------

PHASE C

Ti02® Yellow 5 ¹ (CI 77891 (and) CI 19140 (and) Limnanthes Alba (Meadowfoam) Seed Oil)	5.40%
Ti02® Red 40 ¹ (CI 77891 (and) CI 16035 (and) Limnanthes Alba (Meadowfoam) Seed Oil)	5.40%

PHASE D

Fiflow® BTX ¹ Perfluorohexane (and) Perfluoroperhydrophenanthrene (and) Perfluorodecalin (and) Perfluorodimethylcyclohexane)	10.00%
Cayoma® Olive ¹ (Aqua (and) Olea Europaea Leaf Extract (and) Alcohol (and) Maltodextrin (and) Olea Europaea Extract)	0.20%

Note: Use sufficient preservative system; we do not guarantee microbiological stability.

SUPPLIERS

¹Coast Southwest, Inc.

INSTRUCTIONS

Phase A – Mix **Phase A** ingredients under agitation (400-800 rpm) until homogenous.

Phase B – Add **Phase B** into **Phase A** under agitation (400-800 rpm) until homogenous.

Phase C – Add **Phase C** into the mixture (A+B) and homogenize (6,000 rpm) the mixture (A+B+C) for 2-3 minutes.

Phase D – Add **Phase D** into the mixture (A+B+C) and homogenize (2,000 RPM) for 1-2 minutes.

